


Background for Farm Tour

Larry Krom

Business Sectors Manager Focus on Energy Renewable Energy Program













Vir-Clar Digester Facts

- 1,350 Holstein cow herd size
- 20 gallons/cow/day manure
- Manure scrape collection system
- Complete-mix digesters, 2 each: 22 m (i.d.) x 7 m height
- Flexible digester cover
- 8% 9% total manure solids concentration
- 40% (est.) volatile destruction rate
- 350 kW spark ignition IC engine-generator
- Extra heat will be utilized for milking parlor, calf barn, floors in return lanes. Possibly a greenhouse in future.



Lake Breeze Dairy

Malone, WI mesophilic modified plug-flow, 600 kW GHD, Inc.









Solids Processing







Lake Breeze Digester Facts

- 3,000 Holstein cow herd size
- 35 gallons/cow/day manure & parlor water
- Manure flush collection system
- Modified plug-flow digester: 16(H) x 186(L) x 144(W) ft.
- Rigid digester cover
- 8% total manure solids concentration
- 80% of total solids are volatile
- 65% (est.) volatile destruction rate
- 9.7 ft³ (est.) biogas per lb. of volatile solids destroyed
- 111,000,000 ft³ (est.) biogas production per year
- 2 x 300 kW spark ignition IC engine-generators
- Extra heat will be utilized for milking parlor, shop, floors in holding area, and special needs area




Site Courtesy

- Wear bio-security boots before leaving buses
- No smoking
- Only visit animals with owners permission
- Board buses on time











NOTICE:

This presentation is the property of the State of Wisconsin, Department of Administration, Division of Energy, and was funded through the Focus on Energy Program.

Material in this presentation does not imply a recommendation or endorsement of any product or service, by the Focus on Energy Program or any subcontractor of Focus on Energy. The Focus on Energy Program, or any subcontractor of Focus on Energy, is not responsible for inaccurate or incomplete data in this presentation.

